NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	N	EWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.			
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 73118	U.S.A	(405) 525-8601
PLANT LOCATIONS:	Oklahoma City			(100) 020 0301
SATEGORY OF FITTIN	GS TO BE REGISTERED.	CIRCLE ONE CATEGORY ONLY		TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all flanges D Expansion joints, flexible connict Strainers, filters, separators, at Measuring devices, including p pressure transmitters	s, tees, elbows, Ys, plugs, i ections, and hose assembli nd steam traps ressure gauges, level gaug	uniona, pipe caps, or roducers		ASME B31.3-2012 & B16.34-2013
H Pressure retaining components	ng and fusible plugs a that do not fall into one of	the above categories		
Nuclear components: Class 1	☐ Class 2 ☐ Class 3 ☐,	(Meeting CNSC or ASME requireme	ints)	
SHOW MANOFAC OKERS NAM	E, TRADEMARK, OR LOG	O AS IT WILL APPEAR ON THE PR	RODUCT	TYPE OF CONSTRUCTION FORGED D WELDED D WROUGHT D GAST D OTHER D
	KIMI	<u>K</u> AŸ		DESCRIBE OTHER: 2-3" Steel Low Press Motor Valves; Spring Loaded
LIST OF SUPPORTING DOCUM Drawings CRN091314 Rav. A-01 Quality API Spec Q1 and ISO 90	. CRN091314-CODE Roy	CATION OF THE ACTUAL ITEMS T A-01, CRN091314-BOM Rav. A-01, /	OBEREG ASME Calc	SISTERED: culations, and
*	•			*
temperature ratings, and identi manufacture of these fittings is or in part and has been verified	Scatlon markings are in a legislated by a Quality of py ISO 9001:2008 leving it to be true, and it of the control of the contr	annly declare that the information atton is sought. The dimensions, accordance with the herein name control Program which extends to as being suital knowing that it is of the same force of the	contained materials ad standar beach pla	ds. I further declare that the nt where fabrication occurs in whole
This	: This egistration must be reva	space for Regulatory Authority use ilidated after fan (10) years from t	lho dato a	ASCENECO
CRN: 0C15331.2		PROV	VINCE O	F PRINCE EDWARD ISLANGE ENT, LABOUR & JUSTICE
Notes: 1. All fittings shall be registered. 2. Each category shall be suppriorms and one copy of supporting. 3. The declaration shall be mad responsibility for the quality of the Quality control programs shall at a maximum interval of five (5).	orted with two Statutory Decing documentation. To by the person having full the end product. The end product.	DATE claration authority and	SECTI	ON SORVICES SECTION ESSURE VESSEL BRANCH Sect. 1.0 - Filtings Rev. 1 06/2003

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES		OUNDLAND AND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.			
MANUFACTURERS ADDRESS:		Oklahoma City, OK 73118	U.S.A	(405) 525-6601
PLANT LOCATIONS:	Oklahoma City		0.0.71	(403) 323-0001
CATEGORY OF FITTI	NGS TO BE REGISTERED. C	IRCLE ONE CATEGORY ONLY	TIR	E OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including couplin B Flanges: all flanges C Valves: all line valves	igs, tees, elbows, Ys, plugs, un	lons, pipe caps, or reducers	1 8	E B31.3-2012 & B10.34-2013
H Pressure retaining componen	and steam traps pressure gauges, level gauges sure rellef devices acceptable a pling and fusible plugs tis that do not fall into one of th	s, sight glasses, levels, or a primary over pressure protection or e above categories		ii a
N Nuclear components: Class	1 □ Class 2 □ Class 3 □, (I	Meeting CNSC or ASME requirements	s)	
		AS IT WILL APPEAR ON THE PRO		TYPE OF CONSTRUCTION
	KIMP	<u>A</u> Y	FOR CAS DES 2-3	GED WELDED WROUGHT T OTHER C CRIBE OTHER: Steel Low Press Motor Valves; ing Loaded
LIST OF SUPPORTING DOCU	MENTATION AND IDENTIFIC	ATION OF THE ACTUAL ITEMS TO	1	
Drawings CRN091314 Rev. A-C Quality API Spec Q1 and ISO 9	11. CRN091314-CODE Rev. A-	-01, CRN091314-BOM Rev. A-01, AS	SME Calculat	lons and
-				
DECLARATION:				
temperature ratings, and idea manufacture of these fittings or in part and has been verifi-	Iso product for which registration in a large land is a Quality Cief by ISO 9001:2008 Iso 9001:	nly declare that the Information of ton is sought. The dimensions, n ecordance with the herein named ontrol Program which extends to as being suitable nowing that it is of the same force	ontained in naterials of i standards. each plant v	I further declare that the where fabrication occurs in whole
Thl	s registration must be revali	idated after len (10) years from th	ne date of a	ceplance.
CRN: 0C15331.2		PRESSU	RE	
FID#: 2908		Date June 5	5/15	\
Each category shall be surforms and one copy of supports. The declaration shall be mesponsibility for the quality of the surface.	nade by the person having full a f the end product. Shall be resubmitted for validation	aration Dwg. as desc	ribed Per	Sect. 1.0 - Fillings Rev. 1 05/200

	YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.		
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 73118	USA (405) 525-6601
PLANT LOCATIONS:	Oklahoma City		
CATEGORY OF FITTH	NGS TO BE REGISTERED	. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
boilers, pressure vessels, pipi	nections, and hose assemble and steam traps pressure gauges, level gaugure ure relief devices acceptable ing and fusible plugs	ies: all types ges, sight glasses, levels, or e as primary over pressure protection	ASME B31 3-2012 & B16 34-2013
H Pressure retaining component	ts that do not fall into one of		
		(Meeting CNSC or ASME requireme	
SHOW MANUFACTURERS NAM	ME, TRADEMARK, OR LOC	O AS IT WILL APPEAR ON THE PR	RODUCT TYPE OF CONSTRUCTION
	KIMI	RAY	FORGED WELDED WROUGHT CAST OTHER DESCRIBE OTHER 2-3" Steel Low Press Motor Valves; Spring Loaded
<u> </u>			
my knowledge represents the	product for which registr	mnly declare that the information	and being the person having full authority and contained in this form is true and to the best of
manufacture of these fittings in or in part and has been verified declaration conscientiously for Signature of Declare Declared before me at This day of Commissioner of Oaths	stregulated by a Quality by ISO 9001:2008	accordance with the herein name Control Program which extends to as being suitat knowing that it is of the same force.	materials of construction, pressure ed standards. I further declare that the peach plant where fabrication occurs in whole ble for that purpose and I make this solemn ce and effect as if made under oath. OSO00387 OSO00387 OSO00387
manufacture of these fittings in part and has been verified declaration conscientiously for Signature of Declare Declared before me at This 20 day of Commissioner of Oaths or Notary Public: (sign)	spegulated by a Quality by ISO 9001 2008 Elieving it to be true, and OKlahoma May AD Sum Slaw This	accordance with the herein name Control Program which extends to as being suital knowing that it is of the same force in	materials of construction, pressure ed standards. I further declare that the pressure each plant where fabrication occurs in whole ble for that purpose and I make this solemn ce and effect as if made under oath. SOLE GRADING TO SOLOGIST TO SOLOGIST TO PUBLIC SAFETY
manufacture of these fittings in or in part and has been verified declaration conscientiously for Signature of Declarer. Declared before me at This	spegulated by a Quality by ISO 9001 2008 Elieving it to be true, and OKlahoma May AD Sum Slaw This	accordance with the herein name Control Program which extends to as being suitat knowing that it is of the same force of	materials of construction, pressure ed standards. I further declare that the pressure each plant where fabrication occurs in whole ble for that purpose and I make this solemn ce and effect as if made under oath. SOLE GRADING TO SOLOGIST TO SOLOGIST TO PUBLIC SAFETY
manufacture of these fittings is or in part and has been verified declaration conscientiously for Signature of Declared Declared before me at This	spegulated by a Quality by ISO 9001 2008 Elieving it to be true, and OKlahoma May AD Sum Slaw This	accordance with the herein name Control Program which extends to as being suitate knowing that it is of the same force. C:+4, OK 2015 space for Regulatory Authority use alidated after ten (10) years from the control of the same force.	materials of construction, pressure ed standards. I further declare that the pressure each plant where fabrication occurs in whole ble for that purpose and I make this solemn ce and effect as if made under oath. OSO00367 OSO

	UNIFORM STATU	TORY DECLARATIO	N FORM FOR THE REGISTR	ATION C	F FITTING DESIGNS
	W BRUNSWICK NAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES		EWFOUNDLAND AND LABRADOR
N	ANUFACTURERS NAME:	KIMRAY, INC.			
M	MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 73118	USA	(405) 525-6601
P	PLANT LOCATIONS:	Oklahoma City			
١.			CIRCLE ONE CATEGORY ONLY	T	TITLE OF THE STANDARD OF CONSTRUCTION
THE COLUMN	bollers, pressure vessels, pipi	ections, and hose assembli ind steam traps pressure gauges, level gaug ure relief devices acceptable ing and fusible plugs	ies: ail types jes, sight glasses, tevels, or a as primary over pressure protection		ASME B31.3-2012 & B16,34-2013
	H Pressure retaining component				1
			(Meeting CNSC or ASME requirement		
	0	KIMI	RAY CATION OF THE ACTUAL ITEMS T		TYPE OF CONSTRUCTION FORGED D WELDED D WROUGHT D CAST D OTHER D DESCRIBE OTHER 2-3" Sleel Low Press Motor Valves; Spring Loaded
	3	s.			
I mm tt m co	ny knowledge represents the emperalure ratings, and Iden manufacture of these fittings or in part and has been verific	i product for which registi utification markings are in istragulated by a Quality eg by ISO 9001-2008	emnly declare that the Information ration is sought. The dimensions, a accordance with the herein name Control Program which extends to	contained materials ed standa o each pla ble for the	rds. I further declare that the ant where fabrication occurs in whole at purpose and I make this solemn
	This		s space for Regulatory Authority use validated after ten (10) years from	the date	of acceptance
	CRN: 0C15331.2				Newfoundland
	FID#: 2908	_		E.C.	Labrador Service NL egistered OC15331. 20
	Notes: 1. All fittings shall be registered. Each category shall be supported forms and one copy of supporting the declaration shall be more responsibility for the quality of 4. Quality control programs a stall maximum interval of five	ported with two Statutory D ting documentation, ade by the person having fu the end product. half be resubmitted for vaild	eclaration Ill authority and	Da Er Ri Th	egistered by Aprices Public SAFETY APD COMPRESSED OF ENDING Ray, 1 86/2001

COMPRESSED CAR RECIT

UNIFORM STATE	TORY DECLARATION	ON FORM FOR THE REGISTRAT	ION OF FITTING DESIGNS
NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.		
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 73118 U	S.A (405) 525-6601
PLANT LOCATIONS:	Oklahoma City		1.1.7.1.1
CATEGORY OF FITTH	NGS TO BE REGISTERED	. CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible cont E Strainers, filters, separators, a F Measuring devices, including a pressure transmitters G Certified capacity-rated press	nections, and hose assemb ind steam traps pressure gauges, level gau ure relief devices acceptab	lies: all types	ASME B31.3-2012 & B16.34-2013
boilers, pressure vessels, pipi H Pressure retaining component	ng and tusible plugs		
N Nuclear components: Class 1	Class 2 D Class 3 D	r the above categories , (Meeting CNSC or ASME requirements)	
SHOW MANUFACTURERS NAM	TE TRADEMARK OR LO	GO AS IT WILL APPEAR ON THE PRODI	
	K <u>IM</u>	RAY	FORGED WELDED WROUGHT DESCRIBE OTHER DESCRIBE OTHER. 2-3" Slee! Low Press Motor Valves. Spring Loaded
5.	v		
temperature ratings, and ident manufacture of these fittings is or in part and has been verifie	ification markings are in gregulated by a Quality py ISO 9001:2008 Introduction markings are in gregulated by a Quality py ISO 9001:2008 Introduction markings are in gregulated by a Quality py ISO 9001:2008 OKlahoma May AD Sum Stand	emnly declare that the information contration is sought. The dimensions, man accordance with the herein named stomation of the extends to eat as being suitable in knowing that it is of the same force at the extends to eat as being suitable in knowing that it is of the same force at the extends to eat as being suitable in knowing that it is of the same force at the extends of the	andards. I further declare that the ch plant where fabrication occurs in who
E 200	This registration must be rev	space for Regulatory Authority use alidated after ten (10) years from the o	date of acceptance
CRN: 0C15331.2 FID#: 2908	_		TO
		(S) BY	1 27 2 2

SOILERS BOOK 1.0 - Fittings Rev. 1 06/2003

Notes:

1. All fittings shall be registered in the name of the Manufacturer.

2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.

3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.

4. Quality control programs shall be resubmitted for validation

at a maximum interval of five (5) years.

	DIONI DECLARATION	FURM FOR THE RE	GISTRATIC	ON OF FITTING DESIGNS	
NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISU NORTHWEST TERRIT		NEWFOUNDLAND AND LABRADOR	
MANUFACTURERS NAME:	KIMRAY, INC.				
MANUFACTURERS ADDRESS	: 52 N.W 42nd Street	Oklahoma City, OK 73	118 U.S	S.A (405) 525-6801	
PLANT LOCATIONS:	Oklahoma City				
	INGS TO BE REGISTERED.			YITLE OF THE STANDARD OF CONSTRUCTION	
A Pipe fittings, including couplir B Flanges: all flanges C Valves: all line valves			rs	ASME B31.3-2012 & B16.34-2013	
D Expansion joints, flexible con E Strainers, filters, separators, F Measuring devices, including	and steam traps				
pressure transmittors G Certified capacity-rated press bollers, pressure vessels, pig	suro rollet devices acceptable s		otaction on		
H Pressure retaining componer	als that do not fall into one of the	ne abovo catogorles			
N Nuclear components: Class	1 Class 2 Class 3 C. (Mooting CNSC or ASME re	quirements)		
SHOW MANUFACTURERS NA	ME, TRADEMARK, OR LOGO	AS IT WILL APPEAR ON	THE PRODU		ì
**	TEN IP	1 4 4 6		FORGED WELDED O WROUGHT O	
at the state of th	MIME	ZAY		DESCRIBE OTHER: 2-3" Steel Low Press Motor Valves;	
	- PARINC.	Francis o		Spring Loaded	
LIST OF SUPPORTING DOCU	MENTATION AND IDENTIFIC	ATION OF THE ACTUAL	TEMS TO SE	PECIFIEDED.	
Drawings CRN091314 Rev. A-C Quality API Spec Q1 and ISO 9	01, CRN091314-CODE Rev. A	-01, CRN091314-BOM Re	v. A-01. ASMF	Calculations and	}
-					
DECLARATION:					
responsibility for the quality of	(see note 3) employed to	by KIMRAY, INC.	end	being the person having full authority and alned in this form is true and to the best of	đ
my knowledge represents the	a product for which registrat	tion is sought. The dime	engions mate	orials of construction, prosecute	
temperature ratings, and ider	ntification markings are in a	ccordance with the here	in named sto	indards. I further declare that the	
or in part and has been verifi	ed by 150 9001;2008	as hal	no sultable fo	h plant where fabrication occurs in whole or that purpose and I make this solemn	
declaration conscientiously to	pving it to be true, and ki	nowing that it is of the s	me force an	d effect as if made under oath.	
Signature of Declaret:	11/1/		wantuming	nining.	
Declared before me a	OKlahoma (1.4. DY	HOY	A COL	
211 11	114	10410	S # 0000	1003) 1 A	
	May AD 2	10/5	E Z	C S	
Commissioner of Oaths or Notary Public: (sign)	Su Sam	3	William OF O	KLAHLINGEN KLAHLINGEN	
This	This sp registration must be revail	pace for Regulatory Author Idated after ton (10) yea		ate of acceptance.	
CRN: 0C15331.2					
FID#:2908			9	Northwest	
Notes:		1	0	Territories	
1. All fittings shall be registered	ed in the name of the Manufact			EGISTERED \	-
2. Each category shall be sup forms and one copy of suppor	ported with two Statutory Decli ting documentation.	arution	UNDER T	THE AUTHORITY OF	53
3. The declaration shall be ma	ado by the person having full a	uthority and	INE BOIL		1
responsibility for the quality of 4. Quality control programs at	the end product. hall be resubmitted for validation	on \	~ ~ ~	ESSEL ACT.	
at a maximum interval of five			C.R.N.	C/5331.2T Filling Rev. 1 06/2003	
		1	SWONIED -		

....

NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAN NORTHWEST TERRITOR	(A.S. 15	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	KIMRAY, INC.			
MANUFACTURERS ADDRESS:	52 N.W 42nd Street	Oklahoma City, OK 731	18 U.S.A	(405) 525-6601
PLANT LOCATIONS:	Oklahoma City			
		CIRCLE ONE CATEGORY O		TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible conn E Strainers, filters, separators, a F Measuring devices, including p	ections, and hose assemblished steam traps	as: all types		ASME B31.3-2012 & B16.34-2013
pressure transmitters G Certified capacity-rated pressure boilers, pressure vessels, pipl H Pressure retaining component	ure relief devices acceptable	as primary over pressure pro-	ection on	
N Nuclear components: Class 1			u:rements)	
SHOW MANUFACTURERS NAM				TYPE OF CONSTRUCTION
LIST OF SUPPORTING DOCUM	KIMI	RAY		FORGED WELDED WROUGHT D CAST OTHER D DESCRIBE OTHER 2-3" Sleel Low Press Motor Valves; Spring Loaded
Drawings CRN091314 Rev. A-0 Quality API Spec Q1 and :SO 90	301.2008.	NOT, ONNOTITIES MILES	A-UT. ASME	Salediations, and
DECLARATION:	6			
temperature ratings, and iden manufacture of these fittings or in part and has been verified declaration conscientiously (b). Signature of Declare: Declared before me at this day of Commissioner of Oaths or Notary Public: (sign)	product for which registratification markings are in stregulated by a Quality (apply 180 9001 2008 pieving it to be true, and the street of th	nnly declare that the information is sought. The dimer accordance with the hereir Control Program which extra soleing knowing that it is of the sar	nation contain isions, materia named stan ands to each g suitable for me force and standard suitable for me force and suit	dards. I further declare that the plant where fabrication occurs in whole that purpose and I make this solemn effect as if made under oath.
This CRN: 0C15331.2	registration must be reva	alidated after ten (10) year	from the dat	te of acceptand UNAVUT Boilers and
FID#: 2908			Nuñavut	Pressure Vessels Act
Notes: 1. All fittings shall be registere 2. Each category shall be sup forms and one copy of support 3. The declaration shall be ma responsibility for the quality of 4. Quality control programs shall a maximum interval of five (ported with two Statutory De ling documentation. ade by the person having full the end product. half be resubmitted for valida	claration authority and	CRN Date J	REGISTERED OC 15331, 2 N une 05, 2015 (Alling Christings Rev. 1 06/200)
			Territ	torial Registration Fee